


makes a difference



TOUGH, COMPACT AND DEPENDABLE.

Gasoline-powered, direct-drive cold water pressure washer.


HD CART



Compact and dependable.

The HD Cart Series are tough gasoline-powered direct-drive cold water machines that deliver cleaning power of up to 4000 PSI. Built on compact sturdy steel frames, each unit features a dependable industrial-grade Honda engine, Kärcher crankcase pump, hose/gun rack, detergent injection, and tubed pneumatic tires.





1 Powerful and durable

- Rugged chassis base painted with an epoxy powder coat finish for allweather protection.
- Reliable Honda GX engine with two-year warranty; low-oil alert and silent-tone muffler.
- Industrial-grade, tri-plunger, oil-bath Kärcher high pressure pump with forged brass head and ceramic pistons; backed by 7-year warranty.
- 50' durable wire-braid hose rated for 3000 or 4500 PSI; with hose guard for burst protection.
- Safety thermal pump saver valve protects against hot-water damage by venting recirculated water.

2 Smart features

- Conveniently located gun and hose holder.
- Insulated stainless steel wand with quick-couple connectors for easy attachment of high-pressure nozzles.
- Four conveniently mounted, quick-couple spray nozzles for varying fan spray.
- Insulated, high-pressure trigger gun for hours of fatigue-free cleaning.

3 Outstanding mobility

- 10" tubed pneumatic tires for easy maneuvering on all terrains and to absorb vibration.
- Rubber feet to absorb vibration and keep the unit from "walking".
- Convenient front and back 1 1/4" handles to assist in lifting and moving the pressure washer.

Technical data and equipment.

TECHNICAL DATA

| Model | Part No. | GPM | PSI | Drive | cc | Engine | Fuel | Pump | Ship Weight (lbs) | Ship Dimensions (L x W x H) Inches |
|-------------|-------------|-----|------|--------|-----|-------------|------|------------|-------------------|---------------------------------------|
| HD 2.3/24 P | 1.575-100.0 | 2.3 | 2400 | Direct | 163 | Honda GX160 | Gas | Kärcher KP | 130 | 35 x 21 x 24 |
| HD 2.5/27 P | 1.575-101.0 | 2.5 | 2700 | Direct | 196 | Honda GX200 | Gas | Kärcher KP | 135 | 35 x 21 x 24 |
| HD 3.0/30 P | 1.575-102.0 | 3.0 | 3000 | Direct | 270 | Honda GX270 | Gas | Kärcher KP | 175 | 35 x 21 x 24 |
| HD 3.8/35 P | 1.575-104.0 | 3.8 | 3500 | Direct | 389 | Honda GX390 | Gas | Kärcher KS | 185 | 35 x 21 x 24 |
| HD 3.5/40 P | 1.107-223.0 | 3.5 | 4000 | Direct | 389 | Honda GX390 | Gas | Kärcher KS | 188 | 35 x 21 x 24 |

OPTIONS (FIELD INSTALLED)

| | Order No. | Description | | | | |
|--|-------------|---|--|--|--|--|
| | 9.801-026.0 | 100' EZEE Hose Reel kit (hose not included) | | | | |
| | | | | | | |

Included
Optional

Please contact us for more information:

Kärcher U.S.A.

6398 N. Kärcher Way Aurora, CO 80019 U.S.A.

Phone888-805-9852Fax800-248-8409

www.karcher.com/us