

makes a difference









NON-STOP CLEANING FOR TOUGH JOBS.

Electric-powered cold water pressure washer.

HD Super Class



For tough jobs in non-stop use.

Where vast amounts of dirt accumulate every day, reliable Kärcher HD Super class models provide indispensable services. Ideal for use in the construction, agricultural and forestry sectors as well as industrial and municipal facilities.























1 Powerful and durable

- Robust, three-piston axial pumps features detergent-resistant brass cylinder head and stainless valves; pumps is protected by pressure switch and overflow valve.
- Built-in motor protection against voltage fluctuations and excessive temperatures.
- Single-phase unit features ground-fault circuit interrupter (GFCI) for operator safety
- Low-speed, 4-pole, air-cooled motor runs quieter and cooler than conventional motors thus prolonging its service life
- Ceramic-coated piston.

2 Smart features

- Rear cable/hose rack provides added convenience.
- 50-ft. high pressure hose with Easy!Lock ANTI!Twist connections.
- Integrated lance holder for easy transport.
- Parking position for short breaks.

3 Outstanding mobility

- Large wheels for uneven surfaces.
- Upright design for easy, ergonomic transport.
- Integrated tilting aid at the rear.

Technical data and equipment.

TECHNICAL DATA										
Model	Part No.	GPM	PSI	Drive	НР	Electrical	Amps	Pump	Ship Weight (lbs)	Ship Dimensions (L x W x H) Inches
HD 3.5/30-4S Ea	1.286-908.0	1.8-3.5	435-3000	Direct	9	220/240V / 1ph	28	Kärcher Axial	178	47 x 21 x 23
HD 4.5/32-4S Eb	1.286-909.0	2.2-4.5	435-3200	Direct	10	230V / 3ph	25	Kärcher Axial	178	47 x 21 x 23
HD 4.5/32-4S Ec	1.286-910.0	2.2-4.5	435-3200	Direct	10	460V / 3ph	14	Kärcher Axial	160	47 x 21 x 23

ACCESSORIES

	Order No.	Description			
	4.118-005.0 ■	EASY!Force trigger gun			
	4.112-000.0 ■	41" spray lance			
	6.110-030.0 ■	50' EASY!Lock hose with ANT!!Twist connection			
•	2.113-022.0 ■	Power nozzle, 045 (for machine 1.286-908.0)			
	2.113-025.0 ■	Power nozzle, 055 (for machine 1.286-909.0)			
	4.118-008.0 ■	Servo control			
]	2.112-000.0	Inno Foam kit			
	2.112-015.0 ■	Gutter cleaning lance			
]	4.112-035.0 ■	Flexible spray lance			
]	6.110-049.0 ■	Pipe cleaning hose 65', 1740 psi			
	6.110-050.0 ■	Pipe cleaning hose 98', 1740 psi			
	6.110-008.0 ■	Pipe cleaning hose 65', 3625 psi			
]	2.111-023.0 ■	FR TR 50 ME hard surface cleaner			
]	2.111-012.0 ■	FRV TR 30 ME			
]	2.111-011.0 ■	Surface cleaner FR 30			
]	2.111-010.0 ■	FRV TR 30 hard surface cleaner			
]	4.115-000.0 ■	Wet blasting attachment			
]	2.113-020.0 ■	25° power nozzle for applying cleaning agent			
]	4.114-019.0 ■	Dirtblaster Nozzle 035			
]	4.637-033.0 ■	Detergent injector for high pressure			
]	4.111-037.0 ■	Coupling			
Ir	cluded □ Optional	■ Compatible with EASY!Lock			

Please contact us for more information:

Kärcher U.S.A.

6398 N. Kärcher Way Aurora, CO 80019 U.S.A.

Phone 888-805-9852 Fax 800-248-8409

www.karcher.com/us

Kärcher Canada

275 Pendant Drive Mississauga, ON L5T 2W9 Canada

Phone 888-705-9444 Fax 905-672-3155

www.karcher.ca