

SpaceVac High-Level Cleaning Systems ATEX Cleaning Systems 2021





Tested and certified to ATEX standards; our Atex LITE Cleaning System is a perfect introductory system for occasional users and operators cleaning at low levels in Atex areas.

Recognising that not all specialist atmospheres have to be huge spaces, the Atex LITE system has been developed for entry level users and teams with occasional cleaning requirements above head height.

In developing a smaller variant of our 38mm cleaning pole, SpaceVacs engineers have created the perfect beginners SpaceVac pole - offering a lightweight package with dependable robust construction to offer peace of mind to operators.

Product Focus: 38mm Atex Lite

No of Poles: 3
Material: 100% Carbon
Carbon Weave: Full 4k Carbon
Fibre
Working Height: 4.75m
Length of Enclosed Poles: 3.75m
Pole Diameter: 38mm
Pole Length: 1.25m
No of Heads: 2
No of Brushes: 2
Hose Kit Included: Yes
Hose Diameter: 38mm

(Hose pictured for illustrative purposes – length of hose varies by system.)

Conductive - A conductive tool has a volume resistance <104 ohms. It may have a conductor built in. For use in general non-hazardous areas and explosive atmospheres - Atex zones 1, 2, a1 and 22

What's Included: SVA38/EX-LITE

Each 38mm SpaceVac Atex Lite system comes with the following items included as standard: Independently certified to be compliant with the Atex Directive 2014/34/EU: ISO 80079-36:2016 and ISO 80079-37



3 x SVA38/125-LITE 3 x 38mm x 1.25m Conductive Cleaning Poles



5V/LPB 1 x Lite Pole Bag



SVA38/FLT1 x Conductive 300mm
Flat Surface Tool



SVA38/RB 1 x Conductive Small Round Brush



SVA38/90H 1 x Conductive 90 Degree Cleaning Head



SVA38/45H 1 x Conductive 45 Degree Cleaning Head



SV/MB 1 x Mesh Bag



SVA38/5H 1 x Conductive 5m Hose



SVA38/HA1 x 38mm Conductive
Hose to Pole
Adaptor



SVA38/50HC 1 x Conductive 38mm hose to 50mm Vac Inlet Cuff



SV/HB 1 x Hose Bag

Some of our Clients Include:











The Atex Pioneer has been specifically launched to fill a ga in the Atex cleaning line.

Tested and certified to tex standards; the Atex Pioneer offers operators over 6 metres of reach from the safety of the ground floor, allowing operators to safely remove combustible materials such as wood. flour or paper from above head heiaht.

The system was designed to sit in the SpaceVac range between our entry level Atex Lite system and the more advanced heavy duty products elsewhere in the line such as our **Pro** AND **Ultra** lines and is all manufactured in fully conductive 100% Carbon Fibre.

Product Focus: 38mm Atex Pioneer

No of Poles: 3.5 Carbon Weave: Full 4k Carbon Working Height: 6.4m Length of Enclosed Poles: 5.4m Pole Diameter: 38mm Pole Length: 1.6m No of Heads: 3 No of Brushes: 3 **Hose Kit Included:** Yes Hose Diameter: 38mm

Conductive - A conductive tool has a volume resistance <104 ohms. It may have a conductor built in. For use in general non-hazardous areas and explosive atmospheres - Atex zones 1, 2, 21 and 22

What's Included: SVA38/EX-PIONEER

Each 38mm SpaceVac Atex Pioneer system comes with the following items included as standard: Independently certified to be compliant with the Atex Directive 2014/34/EU: ISO 80079-36:2016 and ISO 80079-37



3 X 38mm X 1.6m Conductive Pioneer Poles



3 X SVA38/16-PIONEER SVA38/08-PIONEER 1 X 38mm X 0.8m Conductive Pioneer Half Pole



SV/PB 1 x Padded Pole Bag



SVA38/135H 1 x Conductive 135 Degree Cleaning Head



SVA38/FLT 1 x Conductive 300mm Flat Surface Tool



SVA38/90H 1 x Conductive 90 Degree Cleaning Head



SVA38/45H 1 x Conductive 45 Degree Cleaning Head



SVA38/4PB 1 x Conductive 100mm Pipe Brush



SVA38/RB 1 x Conductive Small Round Brush



SV/MB 1 x Mesh Bag



SVA38/HA 1 X 38mm Conductive Hose to Pole adaptor



SVA38/5H 1 x Conductive 5m Hose



SVA38/50HC 1 x Conductive 38mm hose to somm Vac Inlet Cuff



SV/HB 1 x Hose Bag



Our 38mm Atex cleaning poles were a world first when they firs entered the combustible market in 2016.

Developed in response to a number of deadly incidents involving the use of incorrect cleaning equipment in explosive atmospheres, SpaceVac sought to engineer a system safe for use in these specialised environments.

Manufactured to the highest standards right here in the UK - our Atex poles are made from 100% Carbon Fibre and are tested and certified to tex standards.

The system is fully accessorised with a range of Atex and anti-static accessories for flexible cleaning options.

Product Focus: 38mm Atex Pro

No of Poles: 5.5 Carbon Weave: Full 4k Carbon Working Height: 9.8m Length of Enclosed Poles: 8.8m Pole Diameter: 38mm Pole Length: 1.6m No of Heads: 4 No of Brushes: 3 No of Tools: 1 **Hose Kit Included:** Yes Hose Diameter: 38mm

Conductive - A conductive tool has a volume resistance <104 ohms. It may have a conductor built in. For use in general non-hazardous areas and explosive atmospheres - Atex zones 1, 2, 21 and 22

What's Included: SVA38/EX-PRO

Each 38mm SpaceVac Atex Pro system comes with the following items included as standard:

Independently certified to be compliant with the tex Directive 2014/34/EU: ISO 80079-36:2016 and ISO 80079-37



5 x SVA38/16-PRO 5 x 38mm x 1.6m Cleaning Poles



SVA38/08-PRO 1 X 38mm X 0.8m Pro Half Pole



SV/PB 1 x Padded Pole Bag



SVA38/90H 1 x Conductive 90 Degree Cleaning Head



SVA38/45H 1 x Conductive 45 Degree Cleaning Head



SVA38/135H 1 x Conductive 135 Degree Cleaning Head



SVA38/STR 1 x Conductive Straight Cleaning Head



SVA₃8/FLT 1 x Conductive 300mm Flat Surface Tool



SVA38/LRB Conductive Large Round Brush**



SVA38/4PB 1 x Conductive 100mm Pipe Brush



SVA38/CT 1 x Conductive Crevice 1 x Mesh Bag Tool





SVA38/5H 1 x Conductive 5m Hose 1 x Conductive 38mm



SVA₃8/HA Hose to Pole adaptor



SVA38/50HC 1 x Conductive 38mm 1 x Hose Bag hose to 50mm Vac Inlet Cuff



SV/HB



Designed for power users operating in the most extreme of cleaning environments, our 50mm Atex PRO cleaning poles are the next evolution in cleaning.

Developed in response to customer demand from operators who were cleaning in extreme heavy duty environments, our 50mm cleaning poles offer an increased operating diameter to users, to increase airflow when cleaning at height - even when removing heavy duty blockages such as sawdust, wood shavings or metal filings.

Engineered to the highest standards in the UK - our somm poles are manufactured to a high grade 100% carbon formula right here in our brand new U.K manufacturing facility - and are all tested and certified t Atex standards.

Product Focus: 50mm Atex Pro

No of Poles: 6.5 Carbon Weave: Full 4k Carbon Working Height: 11.4m Length of Enclosed Poles: 10.4m Pole Diameter: 50mm Pole Length: 1.6m No of Heads: 4 No of Brushes: 3 No of Tools: 1 **Hose Kit Included:** Yes Hose Diameter: 50mm

Conductive - A conductive tool has a volume resistance <104 ohms. It may have a conductor built in. For use in general non-hazardous areas and explosive atmospheres - Atex zones 1, 2, 21 and 22

What's Included: SVA50/EX-PRO

Each 50mm SpaceVac Atex Pro system comes with the following items included as standard:

Independently certified to be compliant with the tex Directive 2014/34/EU: ISO 80079-36:2016 and ISO 80079-37



6 x SVA50/16-PRO 6 x 50mm x 1.6m Pro Pole (6)



SVA50/08-PRO 1 x 50mm x 0.8m Pro Half Pole



SV/PB 1 x Padded Pole bag



SVA50/135H 1 x Conductive 135 Degree Aluminium Head



SVA50/90H 1 x Conductive 90 Dearee Aluminium Cleaning head



SVA50/45H 1 x Conductive 45 Dearee Aluminium Cleaning Head



SVA50/15H 1 x Conductive 15 Degree Aluminium Cleaning Head



SVA50/LRB 1 x Conductive Large Round Brush



SVA50/FLT-400 1 x Conductive 400mm 1 x Conductive Rubber Heavy Duty Flat Surface Tool



SVA50/CN Conical Nozzle



SVA50/GN 1 x Conductive 50mm Gulper Nozzle



1 x Mesh Bag



SVA50/10H-ULTRA 1 x 10m Conductive X HD rated Hose




SVA50/50HA 1 x Conductive 50mm Hose to Pole adaptor



SVA50/50HC 1 x Conductive 50mm Vac Inlet Cuff



SV/HB 1 x Hose Bao



Our new Atex Ultra cleaning poles are the new standard in high-level cleaning worldwide; utilising cutting edge carbon engineering techniques to create our lightest, most durable pole ever.

Designed to provide a cleaning system with the ability to reach heights up to 15m as standard - with the ability to reach over zom when extended - the new Atex Ultra range provides unrivalled build quality and performance - delivering a pole that is lighter than our pro pole, with increased rigidity and an even stronger carbon weave.

The result of these developments in carbon engineering technology is a pole that can scale heights of over 15m from the safety of the ground floor

Product Focus: 38mm Atex Ultra

Carbon Weave: Full 12k Carbon Length of Enclosed Poles: 15m Pole Diameter: 38mm No of Heads: 4 No of Brushes: 3 No of Tools: 1 **Hose Kit Included:** Yes Hose Diameter: 38mm

Conductive - A conductive tool has a volume resistance <104 ohms. It may have a conductor built in. For use in general non-hazardous areas and explosive atmospheres - Atex zones 1, 2, 21 and 22

What's Included: SVA38/EX-ULTRA

Each 38mm SpaceVac Ultra system comes with the following items included as standard:

Independently certified to be compliant with the tex Directive 2014/34/EU: ISO 80079-36:2016 and ISO 80079-37



9 x SVA38/16-ULTRA 9 x 38mm x 1.6m Ultra Cleaning Poles



SVA38/08-ULTRA 1 X 38mm x o.8m Ultra Half Pole



SV/PB 1 x Padded Pole bag



SVA38/90H 1 x Conductive 90 Degree Cleaning Head



SVA38/45H 1 x Conductive 45 Degree Cleaning Head



SVA38/135H 1 x Conductive 135 Degree Cleaning Head



SVA₃8/FLT SVA38/STR 1 x Conductive Straight 1 x Conductive 300mm Cleaning Head Flat Surface Tool



SVA38/LRB Conductive Large Round Brush**



SVA38/4PB 1 x Conductive 100mm Pipe Brush



SVA₃8/CT 1 x Conductive Crevice 1 x Mesh Bag Tool



SV/MB



SVA50/10H-ULTRA 1 x 10m Conductive X HD rated Hose



SVA38/HA-ULTRA 1 x Conductive 38mm Hose to Pole Adaptor



SVA38/50HC-ULTRA 1 x Conductive 38mm 1 x Hose Bag to somm Vac Inlet Cuff



SV/HB





The manufacture of Food & Drink is one that that requires the very highest standards in cleanliness.

The risks of cross-contamination and the integrity of the wider food chain, mean that cleaners and facilities managers have a requirement to easily remove these by-products from within their facilities as well as the pests attracted by these prodcts.

By developing a specialist food and drink safe version of our cleaning system - featuring a range of FDA approved cleaning heads - SpaceVac has created a unique solution for cleaning above head height. With materials like dust and flour often dispersing and settling on high level areas, our Food Safe system easily reaches these otherwise inaccessible areas to remove these materials quickly and safely.

Product Focus: SpaceVac Food Safe

Carbon Weave: 12k Woven Carbon Working Height: 9.8m Pole Diameter: 38mm Pole Length: 1.6m No of Brushes: 3 No of Tools: 2 Hose Kit Included: Yes Hose Diameter: 38mm

* Please note:

What's Included: SVA38/EX/FOOD

Each 38mm SpaceVac Food Safe system comes with the following items included as standard:



5 x SVA38/16-PRO 5 x 38mm x 1.6m Atex Pro Pole



SVA38/08-PRO 1 x 38mm x o.8m Atex 1 x Padded Pole bag Pro Half Pole



SV/PB



SVA38/135H 1 x Conductive 135 Degree Head



SVA38/45H 1 x Conductive 45 Degree Head



SVA38/90H 1 x Conductive 90 Degree Head



SVA₃8/STR 1 x Conductive Straight 1 x Anti Static Nozzle Cleaning Head



SVA38/FSCONE Tool



SVA38/FSGN 1 x Anti Static Gulper Tool



SVA38/FSTB 1 x Anti Static Triangular Brush



SVA38/FSRB SVA38/FSREC 1 x Anti Static 1 x Anti Static Rectangular Brush Round Brush



SV/MB 1 x Mesh Baq



SVA38/10H 1 x Conductive Hose x 10m



SVA₃8/HA 1 x Conductive 38mm Hose to pole adaptor



SVA38/50HC 1 x Conductive 38mm Vac Inlet Cuff



SV/HB 1 x Hose bag



SV/SB-* 10 x Silicon Bands

Anti-Static Accessories:[*]



SVA38/15SW/SYN Anti-Static 38cm LargeFlexi-Brush Synthetic Bristle*



SVA38/8SW Anti-Static 17cm Small Flexi-Brush*



SVA38/15SW Flexi Brush - Natural Bristle*



SVA38/12DB Anti-Static 38cm Large Anti-Static 30cm Duct Brush*



SVA38/24DB Anti-static 6ocm Duct Brush*



SVA38/48DB Anti-Static 120cm Duct Brush*

[*] Antistatic - An antistatic tool has a volume resistance <109 ohms, and/or with a conductor built in. For use in general non-hazardous areas and explosive atmospheres - ATEX Zone 22 Dust

Conductive Accessories: [**]



SVA38/FLT-NS Conductive 300mm Floor Tool no swivel**



SVA38/FLT400-HD Conductive 400mm Heavy Duty Floor Tool**



SVA50/FLT400-HD Conductive 400mm Heavy Duty Floor Tool**



SVA38/ON Conductive Stainless Steel Oven Nozzle**



SVA50/SN Conductive 50mm SS Spike / Gulper Nozzle** Round Brush**



SVA₃8/LRB Conductive Large



SVA50/38PA Conductive 50mm-38mm Adaptor**



SVA38/8PB Conductive 200mm Pipe Brush**

[**] Conductive - A conductive tool has a volume resistance <104 ohms. It may have a conductor built in. For use in general non-hazardous areas and explosive atmospheres - Atex zones 1, 2, 21 and 22

Also Available:

SVA38/ONREP Scraper/Wheel Repair Kit For Oven Nozzle

SVA50/CN Conductive somm SS Crevice Nozzle

SVA38/KNT-HA Conductive 38mm Inlet Adapter Karcher NT Type 22

38mm Atex Floor Kit:



SVA38/FLT400-HD SVA38/45H 1 x Conductive 400mm 1 x Conductive 45 Heavy Duty Floor Tool* Degree Cleaning Head



SVA38/125P-STR 1 x Conductive Strengthened 1.25m Carbon pole



SVA38/HA 1 x Conductive Hose to Pole adaptor

50mm Atex Floor Kit: SVA50/FL-Kit



SVA50/FLT400-HD Heavy Duty Floor Tool* Degree



SVA50/45H-MFPA 1 x Conductive 400mm 1 x Conductive 45 Aluminium Head



SVA50/125P-STR 1 x Conductive Strenghtened 1.25m Carbon pole



SVA50/HA 1 x Conductive Hose to Pole adaptor

Some of our Clients Include:









Atex Vacuum: SpaceVac Titan



The New SpaceVac TITAN is a efficient TEX certified vauum cleaner safe for use in the removal of zone 22 dust (group II, category 3D)


This revolutionary new ATEX Vacuum system offers a fully conductive single motor solution, designed to provide powerful suction for use with our Conductive Atex cleaning systems.

- Single phase motor asynchronous marked ATEX EX II 3D
- Trolley in RAL 9005 black, container in stainless steel and filter chamber in RAL 900 white
- · Vacuum-meter to check the filter efficien
- Electric cable 10m long with industrial plug 2P+earth 16A IP67 marked ATEX
- Star filter in polyester cat. "L" antistati
- Manual filter shaker on sid
- Quick inlet 870mm
- Relief valve put in as standard
- Dust bin of 251 provided with handle and castors
- Rear castors 0:25mm, front castors 0:00mm with brake, antistatic
- · With special support for SpaceVac tools

Don't Delay: Book a Free Demo of these new Vacuum units with your local SpaceVac rep!

pacevacinternational.com

TECHNICAL FEATURES					
Tension/voltage	Volts	1ph. 230V/50Hz	Container capacity	L	25
Power	kW	1.5	Product inlet	mm	B70
Depression max	mbar	500	Noise level	dB[A]	67
Max air flow	mª/h	500	Overall dimensions	Cm	47X61X135h
Primary filter surface	m≥	1.14	Weight	Кд	60
Absolute filter surface	ma	1.20	Protection	IP	65
EX-Marking	EX	II3D T135°C			





The SpaceVac SpaceSuit is a brand new add-on designed to make the use of SpaceVac even more comfortable for operators.

The lightweight but durable support brace, spreads the weight of the system evenly across operators shoulders and back's to make even long, heavy duty cleans much more comfortable and with less strain on the back, neck and shoulders.

The system also includes a pair of prismatic glasses to allow operators to easily monitor progress of cleans without needing to look upwards - helping to avoid operators straining their neck and making SpaceVac even more comfortable to work with.

In addition to being compatible with any of the SpaceVac high-level cleaning systems in our range, the new Spacesuit is also compatible for use with any telescopic inspection pole or even high-reach, water fed window cleaning pole systems making it an attractive add-on to facilities managers and Building Service Contractors alike who offer these additional services in their portfolio.

SV/SS

1 x SpaceVac Spacesuit

SVPG

1 x Prismatic Glasses

SV/Spacesuit - Bundle





Find Out More:

SpaceVac International

Unit 3, JBJ Business Park, Northampton Road, Blisworth, Northamptonshire, NN7 3DW

T: 01604 968668
W: spacevacinternational.com
E: sales@spacevacinternational.com